

	POWERHOLD 7800			
Version 1.0	Revision Date 12/18/2024			
SECTION 1. PRODUCT AND COMP	PANY IDENTIFICATION			
Product name :	POWERHOLD 7800			
Product code :	10000015934			
Manufacturer or supplier's det	tails			
Company :	H.B. Fuller Construction Products			
Address :	1105 South Frontenac			
Telephone :	Aurora, IL, 60504 1-800-552-6225			
Medical Emergency Phone Number (24 Hours): 1-888-853-1758				
Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300				
Recommended use of the chemical and restrictions on use				
Recommended use :				
Recommended use	Isocyanate based product, Polyurethane resin			
Restrictions on use :	For industrial use only.			

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	paste
Color	light yellow
Odor	characteristic

GHS Classification

Skin irritation	:	Category 2
Eye irritation	:	Category 2A
Respiratory sensitization	:	Category 1
Skin sensitization	:	Category 1
Carcinogenicity	:	Category 2
Specific target organ toxicity - repeated exposure	:	Category 2

GHS label elements

Hazard pictograms

Signal Word





POWERHOLD 7800

Version 1.0

Revision Date 12/18/2024

Hazard Statements:

H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements:

Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe mist or vapors. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P285 In case of inadequate ventilation wear respiratory protection.

Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P341 IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor. P362 Take off contaminated clothing and wash before reuse.

Storage: P405 Store locked up.

Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects

Aggravated Medical	:	None known.
Symptoms of Overexposure	:	Breathing difficulties

Carcinogenicity:

••••••••••••••••••••••••••••••••••••••		
IARC	Group 1: Carcinogenic to humans product, this substance is enca will not present a cancer expose Quartz (SiO2)	apsulated within the product and
	Group 1: Carcinogenic to humans	
	Group 1: Carcinogenic to humans	
OSHA	equal to 0.1% is on OSHA's lis	present at levels greater than or
NTP	Known to be human carcinogenD	uring normal handling of the appulated within the product and
	Known to be human carcinogen	
	Known to be human carcinogen	



POWERHOLD 7800

Version 1.0

Revision Date 12/18/2024

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical name	CAS-No.	Concentration [%]
Calcium carbonate	471-34-	1 50 - 70
Isocyanate Based Polymer	9048-57-	1 10 - 20
glass, oxide, chemicals, non-fibrous	65997-17-	3 1 - 5
Sodium borosilicate	50815-87-	7 1 - 5
4,4'-Methylenediphenyl diisocyanate	101-68-	8 1 - 5
Quartz (SiO2)	14808-60-	7 0.1 - 1
A studies a sector time is with held as a trade of		

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

:	Show this material safety data sheet to the doctor in attendance.
:	Move to fresh air. If symptoms persist, call a physician.
:	Get medical attention if irritation develops and persists. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use.
:	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
:	Do not induce vomiting. If conscious, give 2 glasses of water. Get immediate medical attention.
:	Breathing difficulties
	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure.
	:

SECTION 5. FIRE-FIGHTING MEASURES



POWERHOLD 7800		
Version 1.0	Revision Date 12/18/2024	
Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.	
Specific hazards during fire fighting	: Burning produces irritant fumes.	
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.	
SECTION 6. ACCIDENTAL RELEASE MEASURES		
Personal precautions, protective equipment and emergency procedures Methods and materials for	 Refer to protective measures listed in sections 7 and 8. Soak up with inert absorbent material. 	
Methods and materials for containment and cleaning up	Shovel into suitable container for disposal. Neutralize with the following product(s): Ammonia	
SECTION 7. HANDLING AND STORAGE		
Local/Total ventilation	: Use only with adequate ventilation.	
Advice on safe handling	: Protect from moisture. Avoid inhalation, ingestion and contact with skin and eyes.	

Materials to avoid : No special restrictions on storage with other products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Calcium carbonate	471-34-1	PEL (Total dust)	10 mg/m3	CAL PEL
		PEL (respirable dust fraction)	5 mg/m3	CAL PEL
		TWA (Respirable)	5 mg/m3	NIOSH REL



POWERHOLD 7800

Version 1.0

Revision Date 12/18/2024

		TWA (total)	10 mg/m3	NIOSH REL
glass, oxide, chemicals, non- fibrous	65997-17-3	TWA	1 fibres per cubic centimeter	ACGIH
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
		TWA	1 fibres per cubic centimeter	ACGIH
		TWA (fibers)	1 fibres per cubic centimeter	ACGIH
		TWA (fibers)	1 fibres per cubic centimeter	ACGIH
4,4'-Methylenediphenyl diisocyanate	101-68-8	С	0.02 ppm 0.2 mg/m3	OSHA Z-1
		С	0.2 ppm 0.2 mg/m3	NIOSH REL
		TWA	0.005 ppm	ACGIH
		С	0.02 ppm 0.2 mg/m3	OSHA P0
		TWA	0.005 ppm 0.05 mg/m3	NIOSH REL
		С	0.02 ppm 0.2 mg/m3	NIOSH REL
		PEL	0.005 ppm 0.051 mg/m3	CAL PEL
		TWA	0.005 ppm 0.05 mg/m3	NIOSH REL
Quartz (SiO2)	14808-60-7	TWA (Respirable particulate matter)	0.025 mg/m3	ACGIH
		TWA (total dust)	30 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (Respirable fraction)	0.1 mg/m3	OSHA P0
		TWA (Respirable dust)	0.05 mg/m3	OSHA Z-1
		PEL (Respirable dust)	0.05 mg/m3	CAL PEL
		TWÁ (respirable dust fraction)	0.1 mg/m3	OSHA P0



POWERHOLD 7800		
Version 1.0	Revision Date 12/18/2024	
Engineering measures	: Use local exhaust ventilation or other engineering controls to minimize exposures.	
Personal protective equip	ment	
Respiratory protection	: Use respiratory protection unless adequate risk management measures (exhaust/ ventilation) are provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.	
Hand protection Material	: Nitrile rubber	
Eye protection	: Safety glasses with side-shields	
Hygiene measures	: Avoid contact with skin, eyes and clothing. Provide adequate ventilation.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Color Odor Odor Threshold	: paste : light yellow : characteristic : no data available
рН	: Not applicable
Melting point/freezing point	: is not determined
Initial boiling point and boiling range	: is not determined
Flash point Evaporation rate Flammability (solid, gas)	 100 °CMethod: closed cupNot applicable is not determined Not classified as a flammability hazard
Upper explosion limit	: Upper flammability limit is not determined
Lower explosion limit	: Lower flammability limit is not determined
Vapor pressure	: is not determined
Density Solubility(ies) Water solubility	: 1.27 g/cm3 : is not determined
Partition coefficient: n- octanol/water	: no data available



POWERHOLD 7800					
Version 1.0	Revision Date 12/18/2024				
Autoignition temperature	: is not determined				
Viscosity Viscosity, kinematic	: is not determined				
SECTION 10. STABILITY AND REACTIVITY					
Reactivity	: Container can be pressurized by carbon dioxide due to reaction with humid air and/or water.				
Chemical stability	: The product is chemically stable.				
Possibility of hazardous reactions	: Hazardous polymerization does not occur.				
Incompatible materials	: Amines Strong acids and strong bases				
Hazardous decomposition products	: Stable under normal conditions.				

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:							
Acute inhalation toxicity	: Acute toxicity estimate : > 200 mg/l Exposure time: 4 Hours Test atmosphere: vapor Method: Calculation method						
Components:							
4,4'-Methylenediphenyl diisocyanate:							
Acute inhalation toxicity	: Acute toxicity estimate : 1.5 mg/l Test atmosphere: dust/mist Method: Expert judgment						
Skin corrosion/irritation							
No data available							
Serious eye damage/eye irritation							
No data available							
Respiratory or skin sensitization							
No data available							
Germ cell mutagenicity							



Version 1.0	Revision Date 12/18/2024			
No data available				
Carcinogenicity				
No data available				
Reproductive toxicity				
No data available				
STOT-single exposure				
No data available				
STOT-repeated exposure				
No data available				
Aspiration toxicity				
No data available				
SECTION 12. ECOLOGICAL INFORMATION				

POWERHOLD 7800

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues
 To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Disposal via incineration at an approved facility is recommended, as industry best practice. Consult state, local or provincial authorities for more restrictive requirements.



POWERHOLD 7800

Version 1.0

Revision Date 12/18/2024

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards	:	Respiratory or skin sensitization Carcinogenicity Specific target organ toxicity (single or repeated exposure) Skin corrosion or irritation Serious eye damage or eye irritation	
SARA 302	:	This material does not contain any components with a section 302 EHS TPQ.	
SARA 313	:	The following components are subject to report by SARA Title III, Section 313: 4,4'-Methylenediphenyl diisocyanate Polymethylene polyphenyl isocyanate	rting levels established 101-68-8 9016-87-9

Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61): 4,4'-Methylenediphenyl diisocyanate 101-68-8

US State Regulations



POWERHOLD 7800

Version 1.0

Revision Date 12/18/2024

California Prop 65 Please contact Supplier for more information.

The ingredients of this product are reported in the following inventories:TSCAAll substances listed as active on the TSCA inventoryDSLAll components of this product are on the Canadian DSLPlease reach out to H.B. Fuller for further information regarding chemical inventories not listedabove.Inventories LegendTSCA (USA), DSL (Canada), REACH(Europe), AIIC (Australia),NZIoC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China),TWINV (Taiwan)

SECTION 16. OTHER INFORMATION

Further information

Prepared by: Global Regulatory Office - phone: 1-651-236-5842 - email: msds.request@hbfuller.com

NFPA: HMIS III: Flammability HEALTH 2* nstability Health 1 0 FLAMMABILITY 2 **PHYSICAL HAZARD** 0 0 = not significant, 1 =Slight, Special hazard 2 = Moderate, 3 = High4 = Extreme, * = Chronic

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.