


SAFETY DATA SHEET

POWERHOLD PH-3



Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	09/10/2025	F000006235	Date of first issue: 09/10/2025

SECTION 1. IDENTIFICATION

Product name : POWERHOLD PH-3

Manufacturer or supplier's details

Company name of supplier : Lighthouse Adhesives, LLC
Address : 4284 S. Dixie Hwy
Resaca GA 30735
Telephone : (762) 758-4698
Emergency telephone : (CHEMTREC): (800) 424-9300 (CHEMTREC International):
(703) 527-3887 Industrial Health/Spill Emergency: (706) 277-
1300 Danny Welch (ehs@trcc.com)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Reproductive toxicity : Category 2

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H361 Suspected of damaging fertility or the unborn child.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:


P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labeling

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity:
24.9046 %

SAFETY DATA SHEET

POWERHOLD PH-3



Version 0.0 Revision Date: 09/10/2025 SDS Number: F000006235 Date of last issue: -
Date of first issue: 09/10/2025

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 24.9046 %

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	68610-51-5	$\geq 0.1 - < 1$

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES


- General advice : Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
If skin irritation persists, call a physician.
- In case of eye contact : Remove contact lenses.
Protect unharmed eye.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Suspected of damaging fertility or the unborn child.
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Foam
Carbon dioxide (CO₂)
ABC powder
Water mist
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must

SAFETY DATA SHEET

POWERHOLD PH-3



Version 0.0	Revision Date: 09/10/2025	SDS Number: F000006235	Date of last issue: - Date of first issue: 09/10/2025
----------------	------------------------------	---------------------------	--

Special protective equipment for fire-fighters : be disposed of in accordance with local regulations.
Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Material can create slippery conditions.
Use non-slip safety shoes in areas where spills or leaks can occur.

Environmental precautions : Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.

Conditions for safe storage : Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : No materials to be especially mentioned.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Handle only in a place equipped with local exhaust (or other appropriate exhaust).
Maintain air concentrations below occupational exposure standards.

Personal protective equipment


Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection
Material : Impervious gloves

Eye protection : Safety glasses

SAFETY DATA SHEET

POWERHOLD PH-3



Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	09/10/2025	F000006235	Date of first issue: 09/10/2025

Skin and body protection	:	Protective suit
Protective measures	:	Avoid contact with skin. When using do not eat, drink or smoke. Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Hygiene measures	:	General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES


Appearance	:	liquid
Color	:	beige, tan
Odor	:	slight
pH	:	9.4 - 9.6
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative density	:	No data available
Density	:	1,150 - 1,174 kg/m ³
Solubility(ies)	:	
Water solubility	:	No data available
Solubility in other solvents	:	not determined
Partition coefficient: n-octanol/water	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned.
Conditions to avoid	:	No data available

SAFETY DATA SHEET

POWERHOLD PH-3



Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	09/10/2025	F000006235	Date of first issue: 09/10/2025

Incompatible materials	:	Not applicable
Hazardous decomposition products	:	Carbon dioxide (CO ₂), carbon monoxide (CO), oxides of nitrogen (NO _x), dense black smoke.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
---------------------	---	--

	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
--	---	--

Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
-----------------------	---	--

	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
--	---	--

Components:

Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg GLP: yes
---------------------	---	---------------------------------------

Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg GLP: yes
-----------------------	---	---------------------------------------

Skin corrosion/irritation

Not classified based on available information.

Components:

Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene:

Species	:	Rabbit
Assessment	:	Not irritant
Method	:	in vivo
GLP	:	yes

Serious eye damage/eye irritation

Not classified based on available information.


Components:

Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene:

Species	:	Rabbit
Exposure time	:	1 - 72 h
Assessment	:	Not irritant
Method	:	in vivo

SAFETY DATA SHEET

POWERHOLD PH-3



Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	09/10/2025	F000006235	Date of first issue: 09/10/2025

GLP : yes

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene:

Test Type	: Skin sensitization:
Species	: Guinea pig
Method	: in vivo
Result	: Non sensitising
GLP	: yes

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity


Components:

Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene:

Species	: Rat, male and female
NOAEL	: 500 ppm(m)
Application Route	: Oral
Exposure time	: 91 - 92 d
Method	: Diet
GLP	: yes

SAFETY DATA SHEET

POWERHOLD PH-3



Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	09/10/2025	F000006235	Date of first issue: 09/10/2025

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.2 mg/l
Exposure time: 72 h
Analytical monitoring: Analytical monitoring: yes
Method: semi-static test
GLP: yes

LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.2 mg/l
Exposure time: 96 h
Analytical monitoring: Analytical monitoring: yes
Method: semi-static test
GLP: yes

LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.2 mg/l
Exposure time: 24 h
Analytical monitoring: Analytical monitoring: yes
Method: semi-static test
GLP: yes


LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.2 mg/l
Exposure time: 48 h
Analytical monitoring: Analytical monitoring: yes
Method: semi-static test
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.2 mg/l
Exposure time: 24 h
Analytical monitoring: Analytical monitoring: yes
Method: semi-static test
GLP: yes

EC50 (Daphnia magna (Water flea)): > 0.2 mg/l
Exposure time: 48 h
Analytical monitoring: Analytical monitoring: yes
Method: semi-static test
GLP: yes

SAFETY DATA SHEET

POWERHOLD PH-3



Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	09/10/2025	F000006235	Date of first issue: 09/10/2025

Toxicity to algae/aquatic plants : ErC50 (algae): > 0.2 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

Persistence and degradability

Components:

Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene:

Biodegradability : Concentration: 17.6 mg/l
Biodegradation: 1 %
Exposure time: 28 d
GLP: yes

Bioaccumulative potential

Components:

Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene:

Partition coefficient: n-octanol/water : log Pow: > 7.17 - < 8.17 (86 °F / 30 °C)
GLP: yes

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS


Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.

Contaminated packaging : Clean container with water.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SAFETY DATA SHEET

POWERHOLD PH-3



Version 0.0	Revision Date: 09/10/2025	SDS Number: F000006235	Date of last issue: - Date of first issue: 09/10/2025
----------------	------------------------------	---------------------------	--

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

49 CFR

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Reproductive toxicity

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET

POWERHOLD PH-3




Version
0.0

Revision Date:
09/10/2025

SDS Number:
F000006235

Date of last issue: -
Date of first issue: 09/10/2025

NFPA 704:



HMIS® IV:

HEALTH	*	0
FLAMMABILITY		0
PHYSICAL HAZARD		0


HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Con-

SAFETY DATA SHEET

POWERHOLD PH-3



Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	09/10/2025	F000006235	Date of first issue: 09/10/2025

trol Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 09/10/2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN