

## Safety Data Sheet acc. to OSHA HCS

Printing Date 10/31/2019

Revision Number 3

Revision Date 10/31/2019

### 1 Identification

- **Product identifier**
- **Trade name: Powerhold 1500 Clear Thin Spread Adhesive**
- **Relevant identified uses of the substance or mixture.**  
Industrial Use Only.  
Adhesive
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Floor Covering Distributor Alliance  
6320 Airport Freeway, Suite A  
Haltom City, TX 76117
- **Information department:** Global Regulatory Department.
- **Emergency telephone number:**  
ChemTrec: Day or Night within USA and Canada: 1-800-424-9300.  
Outside USA and Canada: +1 703-527-3887 (collect calls accepted)


### 2 Hazard(s) identification

- **Classification of the substance or mixture**  
The product does not meet the criteria for classification as hazardous under the GHS and 29 CFR 1910.1200
- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 1  
Fire = 0  
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 1  
Fire = 0  
Physical Hazard = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture

(Contd. on page 2)

USA

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 10/31/2019

Revision Number 3

Revision Date 10/31/2019

**Trade name: Powerhold 1500 Clear Thin Spread Adhesive**

(Contd. of page 1)

**· Hazardous components:**

25280-35-7	vinyl acrylic copolymer	2.5-10%
14808-60-7	Quartz (SiO <sub>2</sub> )	≤2.5%

### 4 First-aid measures

**· Description of first aid measures**

**· After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

**· After skin contact:**

Wipe excess from skin.

Immediately wash with water and soap and rinse thoroughly.

**· After eye contact:** Rinse opened eye for several minutes under running water.

**· After swallowing:**

Rinse out mouth with water. Drink 1 - 2 glasses of water but **DO NOT** induce vomiting. Do not give liquids to a drowsy, convulsing or unconscious person. If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

Seek medical treatment.

**· Information for doctor:**

**· Most important symptoms and effects, both acute and delayed** No further relevant information available.

**· Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### 5 Fire-fighting measures

**· Extinguishing media**

**· Suitable extinguishing agents:**

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire fighting measures that suit the environment.

**· Special hazards arising from the substance or mixture** No further relevant information available.

**· Advice for firefighters**

**· Protective equipment:** Protective clothing and respiratory protective device.

### 6 Accidental release measures

**· Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

**· Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

**· Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste in accordance with federal state and local regulations.

Ensure adequate ventilation.

**· Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing Date 10/31/2019

Revision Number 3

Revision Date 10/31/2019

**Trade name: Powerhold 1500 Clear Thin Spread Adhesive**

(Contd. of page 2)

### · Protective Action Criteria for Chemicals

· PAC-1:		
14808-60-7	Quartz (SiO <sub>2</sub> )	0.075 mg/m <sup>3</sup>
· PAC-2:		
14808-60-7	Quartz (SiO <sub>2</sub> )	33 mg/m <sup>3</sup>
· PAC-3:		
14808-60-7	Quartz (SiO <sub>2</sub> )	200 mg/m <sup>3</sup>

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Open and handle receptacle with care.  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store above 40F.
- **Information about storage in one common storage facility:** Store away from oxidizing agents.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Protect product from freezing.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.  
At this time, the remaining constituent has no known exposure limits.

14808-60-7 Quartz (SiO <sub>2</sub> )	
PEL	Long-term value: 0.05* mg/m <sup>3</sup> *resp. dust; 30mg/m <sup>3</sup> /%SiO <sub>2</sub> +2
REL	Long-term value: 0.05* mg/m <sup>3</sup> *respirable dust; See Pocket Guide App. A
TLV	Long-term value: 0.025* mg/m <sup>3</sup> *as respirable fraction

- **Additional information:**  
The lists that were valid during the creation were used as basis.  
This product contains crystalline silica (Quartz) which is not hazardous in a wet or encapsulated state. However, if a formula containing hazardous fillers is reduced to a respirable fraction by grinding or putting into an airborne powder, the powder is considered a hazardous material.

(Contd. on page 4)

USA

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 10/31/2019

Revision Number 3

Revision Date 10/31/2019

**Trade name: Powerhold 1500 Clear Thin Spread Adhesive**

(Contd. of page 3)

- **Exposure controls**
- **Personal protective equipment (see listings below)**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves**  
Nitrile rubber, NBR  
Chloroprene rubber, CR  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses with side shields.
- **Body protection:** Protective work clothing

### 9 Physical and chemical properties

#### · Information on basic physical and chemical properties

##### · General Information

##### · Appearance:

· <b>Form:</b>	Paste
· <b>Color:</b>	Tan
· <b>Odor:</b>	Characteristic
· <b>Odor threshold:</b>	Not determined.

· **pH-value at 20 °C (68 °F):** 9.4

##### · Change in condition

· <b>Melting point:</b>	Undetermined.
· <b>Boiling point:</b>	100 °C (212 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

##### · Flammable limits:

· <b>Lower:</b>	Not determined
· <b>Upper:</b>	Not determined

· **Vapor pressure at 20 °C (68 °F):** 23 hPa (17.3 mm Hg)

· **Specific gravity at 20 °C (68 °F):** 1.11 g/cm<sup>3</sup> (9.26295 lbs/gal)

· **Relative density** Not determined.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing Date 10/31/2019

Revision Number 3

Revision Date 10/31/2019

**Trade name: Powerhold 1500 Clear Thin Spread Adhesive**

(Contd. of page 4)

· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	0.0 %
<b>Water:</b>	Not available
<b>VOC (Per EPA 24)</b>	not available GMS/L
<b>Solids content:</b>	58.8%
· <b>Other information</b>	VOC <10 g/l

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** not reactive, as supplied.
- **Conditions to avoid** Temperatures below 40F (4.4C)
- **Incompatible materials:** Reacts with oxidizing agents.
- **Hazardous decomposition products:**  
Carbon monoxide and carbon dioxide  
Hydrocarbons

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** May irritate the skin.
- **on the eye:** May irritate the eye.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product is not subject to classification according to internally approved calculation methods for preparations:  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

14808-60-7	Quartz (SiO <sub>2</sub> )	I
------------	----------------------------	---

· **NTP (National Toxicology Program)**

14808-60-7	Quartz (SiO <sub>2</sub> )	K
------------	----------------------------	---

(Contd. on page 6)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 10/31/2019

Revision Number 3

Revision Date 10/31/2019

**Trade name: Powerhold 1500 Clear Thin Spread Adhesive**

(Contd. of page 5)

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

### \* 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** At present there are no ecotoxicological assessments.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### \* 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Must be specially treated adhering to official regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### \* 14 Transport information

- |  |  |
|--|--|
| · <b>UN-Number</b>   |  |
| · <b>DOT, ADN, IMDG, IATA</b>  | not regulated  |
| · <b>UN proper shipping name</b>   |  |
| · <b>DOT, ADN, IMDG, IATA</b>  | not regulated  |
| · <b>Transport hazard class(es)</b>  |  |
| · <b>DOT, ADN, IMDG, IATA</b>  |  |
| · <b>Class</b>   | not regulated  |
| · <b>Packing group</b>   |  |
| · <b>DOT, IMDG, IATA</b>   | not regulated  |
| · <b>Environmental hazards:</b>  | Not applicable.                                      |
| · <b>Special precautions for user</b>  | Not applicable.                                      |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable.                                      |
| · <b>Transport/Additional information:</b>                                       | Not dangerous according to the above specifications. |
| · <b>UN "Model Regulation":</b>  | not regulated  |

USA

(Contd. on page 7)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 10/31/2019

Revision Number 3

Revision Date 10/31/2019

**Trade name: Powerhold 1500 Clear Thin Spread Adhesive**

(Contd. of page 6)

### 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**

Please contact H.B. Fuller for more information regarding Proposition 65 on this product:  
reg.request@hbfuller.com .

· **(DSL) Canada Domestic Substance List**

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

· **New Jersey Right-to-Know List:**

14808-60-7 Quartz (SiO<sub>2</sub>)

· **New Jersey Special Hazardous Substance List:**

14808-60-7 Quartz (SiO<sub>2</sub>)

CA

· **Pennsylvania Right-to-Know List:**

14808-60-7 Quartz (SiO<sub>2</sub>)

· **Pennsylvania Special Hazardous Substance List:**

None of the ingredients is listed.

· **Carcinogenity categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

14808-60-7 Quartz (SiO<sub>2</sub>)

A2

· **MAK (German Maximum Workplace Concentration)**

14808-60-7 Quartz (SiO<sub>2</sub>)

I

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

14808-60-7 Quartz (SiO<sub>2</sub>)

· **National regulations:**

· **Water hazard class:** Generally not hazardous for water.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

Although the information and recommendations set forth in this SDS [SDS] are presented in good faith and are believed to be correct as of the date of this SDS [SDS], the supplier/manufacturer makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will the supplier/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance on

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing Date 10/31/2019

Revision Number 3

Revision Date 10/31/2019

**Trade name: Powerhold 1500 Clear Thin Spread Adhesive**

(Contd. of page 7)

the information set forth in the SDS [SDS].

· **Department issuing SDS:** Global Regulatory Department.

· **Creation Date:** 10/31/2019

· **Date of preparation / last revision** 10/31/2019 / 2

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

USA