### SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION.

### W. F. Taylor Co., Inc. 11545 Pacific Avenue Fontana, CA 92337-8228 951/360-6677 CHEMICAL EMERGENCY HOTLINE 1-800-535-5053

PRODUCT NAME: PH6250 Pressure Sensitive Adhesive Adhesive ITEM NUMBER: PH6250-4 ITEM DESCRIPTION: Powerhold PH6250 Pressure Sensitive Adh 4-Gallons PRODUCT DESCRIPTION: Low Viscosity Adhesive CHEMICAL FAMILY: Amide-Ester-Acrylate Resin Blend REVISION DATE: 04/14/15 REVIEW DATE: / / PRINT DATE:04/14/15 PRINT TIME:13:16 MANUFACTURED FOR: FLOOR COVERING DISTRIBUTOR ALLIANCE 11811 N. TATUM BLVD., SUITE 3031 ADDRESS: PHOENIX, AZ 85028 EMERGENCY PHONE NO: (800) 535 - 5053 TRADE NAME:

HMIS HAZAR	D RATIN	G		
LEAST:	0	HEALTH:	1	
SLIGHT:	1	FLAMMABLE:	0	
MODERATE:	2	REACTIVITY:	0	
HIGH:	3			
EXTREME:	4	PERSONAL PRO	OTECTION:	С

### SECTION II HAZARDOUS INGREDIENTS

No Hazardous Ingredients Per Current OSHA Regulations.

### SECTION III PHYSICAL DATA

Hazard

CAS #

WT/Wt % Less Than

NO HAZARDOUS INGREDIENTS PER CURRENT OSHA REGULATIONS

BOILING POINT:	NO DATA
LBS / GAL:	8.5 - 9.5
EVAPORATION RATE:	LOW
VAPOR DENSITY:	LOW
VAPOR PRESSURE:	LOW
PERCENT VOLATILE:	47 - 50 (BY WEIGHT)
COLOR:	YELLOW
ODOR:	MILD
VOC, g/l, LESS WATER,	LESS EXEMPT SOLVENTS : 10 (calculated)

#### SECTION IV FIRE AND EXPLOSION HAZARD DATA

(Continued)PagePRODUCT NAME:PH6250 Pressure Sensitive Adhesive AdhesiveITEM NUMBER:PH6250-4ITEM DESCRIPTION:Powerhold PH6250 Pressure Sensitive Adh 4-GallonsREVISION DATE:04/14/15 REVIEW DATE: / / PRINT DATE:04/14/15 PRINT TIME:13:16

2

FLASH POINT, PENSKY-MARTIN C.C.: NA AUTO IGNITION TEMPERATURE, DEGREES F: NA FLAMMABLE LIMITS IN AIR (% BY VOLUME): LEL: NA UEL: NA EXTINGUISHING MEDIA:

(X) WATER SPRAY(X) CARBON DIOXIDE( ) OTHER(X) FOAM(X) DRY CHEMICAL

SPECIAL FIRE FIGHTING PROCEDURES: USE SELF CONTAINED BREATHING APPARATUS. UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE KNOWN

# SECTION V HEALTH HAZARD IDENTIFICATION

SYMPTOMS OF OVER EXPOSURE: INHALATION:MAY CAUSE SLIGHT IRRITATION TO THE UPPER RESPIRATORY TRACT. EYES:VAPOR MAY CAUSE IRRITATION. SKIN:MAY CAUSE SLIGHT SKIN IRRITATION. INGESTION: NOT A LIKELY ROUTE OF ENTRY UNDER PROPER HANDLING CONDITIONS. MAY CAUSE VOMITING. SYMPTOMS MAY BE SAME AS INHALATION.

HEALTH EFFECTS OR RISK FROM EXPOSURE: ACUTE: INHALATION MAY CAUSE RESPIRATORY TRACT IRRITATION. CONTACT WITH EYES AND SKIN MAY RESULT TO IRRITATION. INGESTION MAY RESULT TO GASTRIC DISTURBANCES. CHRONIC: NOT KNOWN

## SECTION VI FIRST AID PROCEDURES

FIRST AID PROCEDURES: EYES CONTACT: WASH WITH WATER AT LEAST 15 MINUTES. IF IRRITATIONS PERSISTS, SEEK MEDICAL ATTENTION. SKIN CONTACT: REMOVE FROM SKIN AND WASH WITH SOAP AND WATER. IF IRRITATIONS PERSISTS, SEEK MEDICAL ATTENTION. INHALATION: MOVE TO FRESH AIR. ADMINISTER OXYGEN, IF NECESSARY. SEEK MEDICAL ATTENTION. INGESTION: IF SWALLOWED, CALL PHYSICIAN.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: NONE KNOWN

## SECTION VII HANDLING AND STORAGE

PRECAUTION FOR HANDLING AND STORING: DO NOT PUNCTURE. PROTECT AGAINST PHYSICAL DAMAGE. AVOID BREATHING BUILD-UP OF VAPORS. USE WITH ADEQUATE VENTILLATION. KEEP OUT OF THE REACH OF CHILDREN. PROTECT FROM FREEZING. STORE IN A DRY PLACE (50 - 90 DEGREES F). CAUTION: DO NOT TAKE INTERNALLY. IF INGESTION , DO NOT INDUCE VOMITING, CALL PHYSICIAN IMMEDIATELY.

# SECTION VIII SPECIAL PROTECTION INFORMATION

(Continued)			
PRODUCT NAME:	PH6250 Pressure	Sensitive	Adh
THEM NUMBER.			

Page

3

PRODUCT NAME:	PH6250 Pressure Sensitive Adhesive Adhesive
ITEM NUMBER:	PH6250-4
ITEM DESCRIPTION:	Powerhold PH6250 Pressure Sensitive Adh 4-Gallons
REVISION DATE:	04/14/15 REVIEW DATE: / / PRINT DATE:04/14/15 PRINT TIME:13:16
VENTILATION AND ENG	GINEERING CONTROLS: USE LOCAL EXHAUST. DO NOT USE CLOSED

AIR-CIRCULATING SYSTEM. OPEN WINDOWS AND DOORS IF NECESSARY. RESPIRATORY PROTECTION: NIOSH RESPIRATOR IF NEEDED. CLOTHING: CHEMICAL RESISTANT GLOVES, APRON, COVERALLS, AND BOOTS AS NECESSARY TO PREVENT CONTACT. EYE PROTECTION: CHEMICAL GOGGLES OR FACE SHIELD OTHER CLOTHING AND EQUIPMENT: IF CLOTHING BECOMES CONTAMINATED, REMOVE AND CLEAN BEFORE REWEARING. WORK PRACTICES, HYGIENIC PRACTICES: FOLLOW LABEL INSTRUCTIONS. PROTECTIVE MEASURES DURING MAINTENANCE OF CONTAMINATED EQUIPMENT: USE GOGGLES AND GLOVES WHEN CLEANING ADHESIVE FROM EQUIPMENT. MAINTAIN PROPER VENTILATION.

### SECTION IX SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED KEEP OUT OF SEWER SYSTEMS TO PREVENT BLOCKAGE DUE TO POLYMER DEPOSITS. USE ABSORBENT MATERIAL TO COLLECT AND/OR SCRAPE UP EXCESS AND PLACE INTO CLOSED DOT APPROVED CONTAINERS FOR DISPOSAL.

### SECTION X STABILITY AND REACTIVITY DATA

STABILITY: STABLE FREEZE THAW STABILITY: UP TO 5 CYCLES AT 10 DEGREES F CONDITIONS TO AVOID: KEEP AWAY FROM EXTREME TEMPERATURE CONDITIONS. INCOMPATIBILTY-MATERIALS TO AVOID: OXIDIZING MATERIALS HAZARDOUS DECOMPOSITION PRODUCTS (INCLUDING COMBUSTION PRODUCTS): OXIDES OF CARBON, WATER AND ORGANIC COMPOUNDS OF UNKNOWN STRUCTURE. HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

## SECTION XI TOXICOLOGICAL PROPERTIES

NOT AVAILABLE

## SECTION XII ECOLOGICAL INFORMATION

NOT AVAILABLE

## SECTION XIII DISPOSAL CONSIDERATION

WASTE DISPOSAL: ABIDE BY ALL STATE, FEDERAL AND LOCAL REGULATIONS

### SECTION XIV: TRANSPORTATION INFORMATION

PROPER SHIPPING NAME: NOT APPLICABLE PROPER HAZARD CLASS: NOT HAZARDOUS HAZARD CODE: NOT HAZARDOUS

## SECTION XV REGULATORY INFORMATION

ALL COMPONENTS IN THIS PRODUCT ARE LISTED IN TSCA INVENTORY OSHA HAZARD COMMUNICATION STANDARD (29CFR 1910.1200) HAZARD CLASS (ES): NONE SARA TITLE III SECTION 312 HAZARD CLASS: NONE EPA SARA TITLE III SECTION 313: NONE

CALIFORNIA PROPOSITION 65: THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND/OR REPRODUCTIVE HARM.

(Continued)		Page	4
PRODUCT NAME:	PH6250 Pressure Sensitive Adhesive Adhesive		
ITEM NUMBER:	PH6250-4		
ITEM DESCRIPTION:	Powerhold PH6250 Pressure Sensitive Adh 4-Gallons		
REVISION DATE:	04/14/15 REVIEW DATE: / / PRINT DATE:04/14/15 PRINT T	IME:13:16	

W.F. TAYLOR BELIEVES THE DATA SET FORTH HEREIN ARE ACCURATE AS OF THE DATE HEREOF. TAYLOR MAKES NO WARRANTY WITH RESPECT THERETO AND EXPRESSLY DISCLAIMS ALL LIABILITY FOR RELIANCE THEREON. SUCH DATA ARE OFFERED SOLELY FOR YOUR CONSIDERATION, INVESTIGATION AND VERIFICATION.