

Stock Number: 846483PM
Revision Date: None
Replaces: None

## **POWERBOND LHT WHITE**

## 1. Identification

Product identifier used on the label: POWERBOND LHT WHITE

Other means of identification:

PRODUCT DESCRIPTION: Cement

Recommended use of the chemical and restrictions on use:

**Recommended use:** Adhesive

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party:

H.B. Fuller Construction Products Inc.

1105 S. Frontenac Street

Aurora, IL 60504

Phone: 1-800-552-6225

**Emergency phone number:** Medical Emergency Phone Number (24 Hours): 1-888-853-1758

**Emergency phone number:** Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

## 2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Hazard Symbols:







GHS Classification: Serious Eye Damage/Eye Irritation Category 1

Skin Sensitisation Category 1 Carcinogenicity Category 1A

Specific Target Organ Systemic Toxicity (STOT) - Repeated Exposure

Category 1

Skin Corrosion/Irritation Category 2

Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category

3

Signal Word: Danger

Hazard Statements: Causes skin irritation. May cause an allergic skin reaction. Causes serious



Stock Number: 846483PM
Revision Date: None
Replaces: None

## **POWERBOND LHT WHITE**

eye damage. May cause respiratory irritation. May cause drowsiness or

dizziness. May cause cancer. Causes damage to organs through

prolonged or repeated exposure.

**Prevention:** Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Do not breathe

dust/fume/gas/mist/vapours/spray. Avoid breathing

dust/fume/gas/mist/vapours/spray. Wash [<1>] thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective

clothing/eye protection/face protection.

**Response:** If on skin: Wash with plenty of water[/<1>] IF INHALED: Remove victim to

fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/ attention. Immediately call a POISON CENTER or doctor/physician. Call a POISON CENTER or doctor/physician if you feel unwell. Get medical advice/attention if you feel unwell. Specific treatment (see [<1>]on this label). If skin irritation occurs: Get medical

advice/attention. If skin irritation or rash occurs: Get medical

advice/attention. Take off contaminated clothing and wash it before

reuse. Wash contaminated clothing before reuse.

**Store** in a well-ventilated place. Keep container tightly closed. Store

locked up.

**Disposal:** Dispose of contents/container to [<1>]

## 3. Composition/information on ingredients

Chemical Name	CAS#	concentration %	Note
Portland cement	65997-15-1	30 - 50	* (see below)
Calcium oxide, CaO	1305-78-8	1 - 5	* (see below)
Crystalline silica	14808-60-7	50 - 70	* (see below)

Unlisted ingredients are not 'hazardous' per the Occupational Safety and Health Administration Hazard Communication Standard (29 CFR 1910.1200) and/or are not found on the Canadian Workplace Hazardous Materials Information System ingredient disclosure list. See Section 8 for exposure limit guidelines.

## 4. First-aid measures



Stock Number: 846483PM
Revision Date: None
Replaces: None

## **POWERBOND LHT WHITE**

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

**Inhalation:** Remove to fresh air. Restore breathing, if necessary. Call a physician if

symptoms persist.

**Eye Contact:** Immediately flush eyes with plenty of water for at least 20 minutes

retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician.

**Skin Contact:** Wash with soap and water. Remove contaminated clothing and launder.

Get medical attention if irritation develops or persists.

**Ingestion:** Severely irritating. Do not induce vomiting. Seek medical attention

immediately. Drink 2 glasses of water or milk to dilute. Do not give

anything by mouth to an unconscious person.

#### 5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

**Suitable extinguishing media:** Use water spray, foam, dry chemical or carbon dioxide.

Specific hazards arising from the

chemical:

**Hazardous combustion products:** Carbon dioxide, Carbon monoxide

Special protective equipment and

precautions for fire-fighters:

Persons exposed to products of combustion should wear self-contained

breathing apparatus and full protective equipment.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this MSDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred.

Methods and materials for containment

and cleaning up:

Avoid creating dusts. Eliminate ignition sources. If a vacuum is used, ensure that the material is wetted or otherwise treated so an explosive

dust atmosphere is not created within the vacuum.

## 7. Handling and storage



Stock Number: 846483PM
Revision Date: None
Replaces: None

## **POWERBOND LHT WHITE**

**Precautions for safe handling:** Avoid contacting and avoid breathing the material. Use only in a well

ventilated area. Avoid breathing material.

This product contains an ingredient that may release formaldehyde at

heated cure temperatures.

Conditions for safe storage, including any incompatibilities:

**Safe storage conditions:** Store in a cool, dry place.

Materials to Avoid/Chemical

Incompatibility:

Not established

Consult the Technical Data Sheet for specific storage instructions.

## 8. Exposure controls/personal protection

## **US EPA Occupational Exposure Limit**

Chemical Name	Note	ACGIH EXPOSURE LIMITS	OSHA PEL
Crystalline silica	* (see below)	0.025 mg/m3 TWA (respirable particulate matter) Not established	((250)/(%SiO2 + 5) mppcf TWA (respirable)); ((10)/(%SiO2 + 2) mg/m3 TWA (respirable)); ((30)/(%SiO2 + 2) mg/m3 TWA (total dust))
Portland cement	* (see below)	1 mg/m3 TWA (particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter) Not established	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)
Calcium carbonate	* (see below)	No data available. Not established	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)
Calcium oxide, CaO	* (see below)	2 mg/m3 TWA Not established	5 mg/m3 TWA

{EMSFORM\_03IHS}

**Appropriate engineering controls:** Use local exhaust ventilation or other engineering controls to minimize

exposures.

Individual protection measures, such as personal protective equipment:

**Respiratory Protection:** Respiratory protection may be required to avoid overexposure when

handling this product. Use a respirator if general room ventilation is not



Stock Number: 846483PM
Revision Date: None
Replaces: None

## **POWERBOND LHT WHITE**

available or sufficient to eliminate symptoms.

**Respirator Type(s):** NIOSH approved air purifying respirator with dust/mist filter.

**Eye protection:** Wear safety glasses with side shields when handling this product. Wear

additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Have an eye wash station available.

**Skin protection:** Avoid skin contact by wearing chemically resistant gloves and long

sleeved shirt. An apron may be appropriate if splashing can occur.

Gloves: Nitrile

#### 9. Physical and chemical properties

Appearance (physical state, color etc.):

Physical state: Solid
Color: White
Odor: Odorless

Odor Threshold: Not established PH: Not established

Melting point/freezing point (°C):

Initial boiling point and boiling range Not established

(°C):

Flash Point (°C):

Evaporation Rate:

Not established

Flammability (solid, gas): Not a flammable solid or gas

Upper/lower flammability or explosive limits:

Vapor pressure: Not established Vapor density: Not established

Relative density: 1.34

Solubility(ies): Not determined

WEIGHT PER GALLON (lbs): 11.2

SOLIDS (% by weight): 100

Volatiles by weight: 0

## 10. Stability and reactivity



Stock Number: 846483PM
Revision Date: None
Replaces: None

## **POWERBOND LHT WHITE**

**Chemical stability:** Stable under normal conditions.

Possibility of hazardous reactions: Will not occur.

Incompatible materials: Not established

Incompatible materials: Not established

Hazardous decomposition products: Carbon monoxide, carbon dioxide

#### 11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

**Target Organs Potentially Affected by** 

**Exposure:** 

Lungs

**Medical Conditions Aggravated by** 

**Exposure:** 

Lung disease

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

**Ingestion Irritation:** Severely irritating to mouth, throat, and stomach. Ingestion is not an

anticipated route of exposure. Harmful if swallowed.

**Skin Contact:** Can cause moderate skin irritation, defatting, and dermatitis. Not likely to

cause permanent damage.

**Inhalation Irritation:** Can cause moderate respiratory irritation. Dust may be slightly irritating

to the respiratory tract.

Inhalation of dusts produced during cutting, grinding or sanding of this

product may cause irritation of the respiratory tract.

Nasal perforation is possible from a single large or repeated smaller

inhalation overexposures.

**Eye Contact:** Can cause severe irritation. Eye contact may result in corneal injury.

Symptoms may include discomfort or pain, excessive blinking and tear production, with marked redness and swelling of the conjunctiva. Temporary vision impairment (cloudy or blurred vision) is possible.

**Skin Contact:** Upon prolonged or repeated contact, can cause moderate skin irritation,

defatting, and dermatitis. Not likely to cause permanent damage.

**Sensitization:** May cause an allergic skin reaction.

Mutagenicity: No data available.

Reproductive and Developmental No data available.

Toxicity:

**Carcinogenicity:** Contains a material that may cause cancer. (This product contains

crystalline silica, which is an IARC Category 1 carcinogen. As provided,



Stock Number: 846483PM Revision Date: None Replaces: None

## **POWERBOND LHT WHITE**

and during normal use of this product, the crystalline silica is encapsulated within the product. As such, it is considered to be inextricably bound, and not readily available for exposure.)

**STOT-single exposure:** No data available.

STOT-repeated exposure: Causes damage to organs through prolonged or repeated exposure.

**Aspiration hazard:** Not an aspiration hazard.

Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by:

Chemical Name OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
-------------------------------	-----------------	----------------

## 12. Ecological information

Ecotoxicity (aquatic and terrestrial,

where available):

No ecological information available for this product.

**Ecological Toxicity Data:** 

This product has not been tested for ecological effects. Relevant information for components is listed below:

Chemical Name	CAS#	Aquatic EC50	Aquatic ERC50	Aquatic LC50 Fish
		Crustacea	Algae	

No data available. Persistence and degradability: **Bioaccumulative potential:** No data available. Mobility in soil: No data available.

## 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:

To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Dispose of in an approved landfill. Consult your state, local or provincial authorities and your local waste vendor for more restrictive requirements.

#### 14. Transport information



Stock Number: 846483PM
Revision Date: None
Replaces: None

## **POWERBOND LHT WHITE**

Consult Bill of Lading for transportation information.

Carriage of dangerous goods by road (DOT), rail or inland waterways:

International carriage of dangerous goods by sea (IMDG/IMO):

International carriage of dangerous goods by air (IATA):

**UN Proper shipping name:** NOT REGULATED

## 15. Regulatory information

#### **INVENTORY STATUS**

**U.S. TSCA Inventory:** This product is in compliance with the Toxic Substances Control

Act's Inventory requirements.

**CANADA DSL:** The components of this product are included on the DSL or are

exempt from DSL requirements.

**EU REACH**: As a result of the introduction of REACH into Europe, this

product cannot be imported into Europe unless the REACH

requirements are met.

**AUSTRALIA AICS**: This product contains a component that is not on the

Australian Inventory (AICS).

If you need more information about the inventory status of this product call 651-236-5858.

This product may contain chemical substances that are regulated for export by various government agencies (such as the Environmental Protection Agency, the Bureau of Industry and Security, or the Drug Enforcement Administration, among others). Before exporting this product from the USA or Canada, we recommend you contact us at reg.request@hbfuller.com to request an export review.

#### **FEDERAL REPORTING**

#### **EPA SARA Title III Section 313:**

Unless listed below, this product does not contain toxic chemical(s) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR part 372. EPA has advised that when a percentage range is listed the midpoint may be used to fulfill reporting obligations.



Stock Number: 846483PM
Revision Date: None
Replaces: None

## **POWERBOND LHT WHITE**

Chemical Name	CAS#	concentration %

#### **STATE REPORTING**

Proposition 65, The Safe Drinking Water and Toxic Enforcement Act of 1986:

Unless listed below, this product does not contain known levels of any chemical known to the State of California to cause cancer or reproductive harm.

Chemical Name		CAS#	concentration %	
Quartz	(Carcinogen)	14808-60-7	50 - 70	
Titanium dioxide	(Carcinogen)	13463-67-7	0.1 - 1	
Chromium VI	(Carcinogen)	Not applicable	0.1 - 1	
Nickel	(Carcinogen)	Not applicable	0.1 - 1	
Lead compounds	(Carcinogen)	Not applicable	0.1 - 1	
Acetaldehyde	(Carcinogen)	75-07-0	< 10 ppm	
Methanol	(Developmental toxin)	67-56-1	0.001 - 0.01	

## **Substances of Very High Concern (SVHC) Content:**

Unless listed below, this product does not contain SVHC's at 0.1% or greater, as of the version date of this SDS.

16. Other information, including date of preparation or last revision.

SDS Prepared by:

Revision Date: None

This Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200) and the Canadian Workplace Hazardous Materials



Stock Number: 846483PM
Revision Date: None
Replaces: None

## **POWERBOND LHT WHITE**

Information System (WHMIS).

Revision Number: 1

Reason for revision:

Prepared by: The Global Regulatory Department Phone: 651-236-5842

Disclaimer:

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to H.B. Fuller Construction Products, Inc. from its suppliers, and because H.B. Fuller Construction Products, Inc. has no control over the conditions of handling and use, H.B. Fuller Construction Products, Inc. makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and H.B. Fuller Construction Products, Inc. assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Construction Products, Inc. products to comply with all applicable federal, state and local laws and regulations.